

REAL NUMBERS WS 4

Class 10 - Mathematics

Section A

1. The difference of a rational and an irrational number is always [1]
 - a) a rational number
 - b) an irrational number
 - c) an integer
 - d) negative
2. The number $(\sqrt{3} + \sqrt{5})^2$ is [1]
 - a) an irrational number
 - b) an integer
 - c) a rational number
 - d) not a real number
3. $2 - \sqrt{3}$ is [1]
 - a) an irrational number
 - b) an integer
 - c) a rational number
 - d) a whole number
4. If a is rational and \sqrt{b} is irrational, then $a + \sqrt{b}$ is: [1]
 - a) an irrational number
 - b) an integer
 - c) a natural number
 - d) a rational number
5. The sum of two irrational numbers is always [1]
 - a) a rational number
 - b) an irrational number
 - c) an integer
 - d) a rational number or an irrational number
6. Which of the following is an irrational number? [1]
 - i. $\frac{22}{7}$
 - ii. 3.1416
 - iii. $\overline{3.1416}$
 - iv. 3.141141114...
 - a) Option (iv)
 - b) Option (iii)
 - c) Option (i)
 - d) Option (ii)
7. 2.35 is [1]
 - a) an integer
 - b) a rational number
 - c) an irrational number
 - d) a natural number
8. $(1 + \sqrt{2}) + (1 - \sqrt{2})$ is [1]
 - a) a rational number
 - b) a non-terminating decimal
 - c) terminating decimal
 - d) an irrational number
9. The number 1.732 is [1]

35. Prove that $\sqrt{2} + \sqrt{3}$ is an irrational number. [2]
36. Show that $3\sqrt{2}$ is irrational. [2]
37. Given that $\sqrt{2}$ is irrational, prove that $(5 + 3\sqrt{2})$ is an irrational number. [2]
38. Explain why $7 \times 11 \times 13 + 13$ is a composite number. [2]
39. Prove that $3\sqrt{3} - 7$ is an irrational number, given that $\sqrt{3}$ is an irrational number. [2]
40. Prove that $7 + 4\sqrt{5}$ is an irrational number, given that $\sqrt{5}$ is an irrational number. [2]
41. Prove that $6 + \sqrt{2}$ is irrational. [2]
42. Prove that $8 + 5\sqrt{5}$ is an irrational number, given that $\sqrt{5}$ is an irrational number. [2]
43. Prove that $2 - 3\sqrt{5}$ is an irrational number, given that $\sqrt{5}$ is an irrational number. [2]
44. Prove that $\sqrt{3}$ is irrational. [2]
45. Prove that $3\sqrt{2}$ is irrational. [2]
46. Prove that $2\sqrt{3} - 1$ is an irrational number. [2]
47. Classify the following numbers as rational or irrational and give justification of your answer. [2]
- i. 0.05918
- ii. 1.010010001...
- iii. $\sqrt{\frac{9}{27}}$
- iv. $\sqrt{\frac{12}{75}}$
48. Prove that $\sqrt{2}$ is an irrational number. [2]
49. Prove that $\sqrt{p} + \sqrt{q}$ is irrational, where p and q are primes. [2]
50. Prove that $5 - \sqrt{3}$ is an irrational number. [2]
51. Prove that $\frac{2}{\sqrt{7}}$ is irrational. [2]
52. Prove that $\frac{3}{2\sqrt{5}}$ is irrational. [2]
53. Show that $5 - 2\sqrt{3}$ is an irrational number. [2]
54. Show that $5 + 3\sqrt{2}$ is an irrational number. [2]
55. Prove that $5 + 2\sqrt{3}$ is an irrational number, given that $\sqrt{3}$ is an irrational number. [2]
56. If $\sqrt{2}$ is given as an irrational number, then prove that $(7 - 2\sqrt{2})$ is an irrational number. [2]
57. Show that $3 + \sqrt{2}$ is an irrational number. [2]